

Issue Date: 21-Feb-2005

Revision Date: 04-Sep-2014

Version 1

1. IDENTIFICATION

Product Identifier

Product Name AmChlor Basic (Ammonium Chloride Solution)

Other means of identification

SDS # EE-002
Product Code 105
UN/ID No UN3082

Recommended use of the chemical and restrictions on use

Recommended Use Plant Nutrients.

Details of the supplier of the safety data sheet

Supplier Address

Evans Enterprises, LLC
 25055 W. Valley Parkway
 Suite 106
 Olathe, Kansas 66061

Emergency Telephone Number

Company Phone Number (913) 764-7766
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear to reddish brown liquid

Physical State Liquid

Odor Slight ammonia

Classification

Serious eye damage/eye irritation

Category 2

Signal Word

Warning

Hazard Statements

Causes serious eye irritation



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
 Wear eye/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Seek immediate medical attention/advice

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ammonium chloride	12125-02-9	25-35

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.
Skin Contact	Remove contaminated clothing and shoes. Wash thoroughly with soap and water (15-30 minutes) until no traces of the chemical remain. Get medical attention.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Keep patient warm and at rest. Get medical attention immediately.
Ingestion	If the victim is conscious, immediately give 2 to 4 glasses of water. Call a physician or poison control center immediately.

Most important symptoms and effects

Symptoms	Causes serious eye irritation. Acute skin exposure may cause redness and irritation. Chronic skin exposure may cause irritation. Ingestion may produce nausea, vomiting, and gastric irritation. Large doses (more than six grams) may also cause systemic ammonia toxicity. Symptoms may include heavy breathing, blue skin, dullness, restlessness, convulsions, and coma. Inhalation of some ammonium salts may cause irritation of the mouth, nose, and throat. Severe exposure may cause wheezing, chest pain, and delayed pulmonary edema. Chronic, repeated exposure may cause irritation.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO₂). Water spray (fog). Foam. For large fires, use water spray/fog or alcohol foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Negligible fire hazard.

Hazardous Combustion Products If solids are overheated (above 500-550°F), HCl and NH₃ may be evolved.

Protective equipment and precautions for firefighters

Move containers from fire area if possible. Do not scatter spilled material with more water than needed for fire control. Dike fire control water for later disposal. Positive pressure self-contained breathing apparatus (SCBA) should be used when there is a potential for inhalation of vapors and/or fumes. Extinguish with agents indicated. Avoid breathing hazardous vapors. Keep upwind.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required.
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so. For soil spills, dig a pit, pond, lagoon, or holding area to contain liquid.
Methods for Clean-Up	For small spills, absorb with sand, clay, or other inert absorbent. Place in appropriate containers for disposal. Wash spill area with plenty of water. For water spills, add suitable agent to neutralize spilled material to pH of 7. Use activated carbon to absorb spilled substance that is dissolved. Use mechanical dredges or lifts to extract immobilized masses of pollution and precipitates.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protection recommended in Section 8. Wash face, hands, and any exposed skin thoroughly after handling. Solution should be stored and handled in a closed system of lined or corrosion-resistant tanks and piping.
--------------------------------	--

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place.
Incompatible Materials	Acids (ammonia is released), alkalis (hydrogen chloride is released), and their associated carbons. Ammonium chloride reacts with lead and silver salts to form a fulminating compound. Ammonium chloride reacts with ammonium compounds, bromine pentafluoride, bromine trifluoride, hydrogen cyanide, iodine heptafluoride, nitrates (potentially explosive combinations may be formed), and potassium chlorate. Ammonium perchlorate in combination with potassium chlorate. Do not use aluminum, zinc, or copper (brass, bronze, etc.) alloys in contact with solution due to corrosion.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ammonium chloride 12125-02-9	STEL: 20 mg/m ³ fume TWA: 10 mg/m ³ fume	(vacated) TWA: 10 mg/m ³ fume (vacated) STEL: 20 mg/m ³ fume	TWA: 10 mg/m ³ fume STEL: 20 mg/m ³ fume

Appropriate engineering controls

Engineering Controls	Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.
-----------------------------	---

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Splash proof chemical safety goggles. Face shield.
Skin and Body Protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Respiratory Protection	Supplied-air respirator or dust/mist respirator to meet published exposure limits.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical State	Liquid	Odor	Slight ammonia
Appearance	Clear to reddish brown liquid	Odor Threshold	Not determined
Color	Clear to reddish brown		
Property	Values	Remarks • Method	
pH	6.0 - 8.0		
Melting Point/Freezing Point	340 °C / 644 °F		
Boiling Point/Boiling Range	Not determined		
Flash Point	None		
Evaporation Rate	Not determined		
Flammability (Solid, Gas)	Liquid-Not Applicable		
Upper Flammability Limits	Not determined		
Lower Flammability Limit	Not determined		
Vapor Pressure	1mmHg @ 321°F		
Vapor Density	1.9		
Specific Gravity	1.07-1.09		
Water Solubility	26% @ 15°C		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		

10. STABILITY AND REACTIVITY**Reactivity**

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization	Hazardous polymerization does not occur.
---------------------------------	--

Conditions to Avoid

Avoid heating above melting point where sublimation occurs. Keep separated from incompatible substances. Keep out of reach of children.

Incompatible Materials

Acids (ammonia is released), alkalis (hydrogen chloride is released), and their associated carbons. Ammonium chloride reacts with lead and silver salts to form a fulminating compound. Ammonium chloride reacts with ammonium compounds, bromine pentafluoride, bromine trifluoride, hydrogen cyanide, iodine heptafluoride, nitrates (potentially explosive combinations may be formed), and potassium chlorate. Ammonium perchlorate in combination with potassium chlorate. Do not use aluminum, zinc, or copper (brass, bronze, etc.) alloys in contact with solution due to corrosion.

Hazardous Decomposition Products

Ammonia. Hydrogen chloride gas. Violent decomposition of ammonium nitrate in presence of ammonium chloride.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Product Information**

Eye Contact	Causes serious eye irritation.
Skin Contact	Avoid contact with skin.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ammonium chloride 12125-02-9	= 1410 mg/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms	Please see section 4 of this SDS for symptoms.
-----------------	--

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
------------------------	--

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ammonium chloride 12125-02-9		725: 24 h Lepomis macrochirus mg/L LC50 209: 96 h Cyprinus carpio mg/L LC50 static		202: 24 h Daphnia magna mg/L LC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Wherever possible, recycle or reclaim as much as possible. Final disposal must be in accordance with local, state, and federal environmental regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION**Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No	UN3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s. (Ammonium Chloride)
Hazard Class	9
Packing Group	III
Reportable Quantity (RQ)	5000 lb

IATA

Not regulated

IMDG

Not regulated

15. REGULATORY INFORMATION**International Inventories**

TSCA	Listed
DSL	Listed
NDSL	Listed

Legend:*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List***US Federal Regulations****CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ammonium chloride 12125-02-9	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ammonium chloride - 12125-02-9	12125-02-9	25-35	1.0

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonium chloride 12125-02-9 (25-35)	5000 lb			X

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ammonium chloride 12125-02-9	X	X	X

16. OTHER INFORMATION

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection
	2	0	0	J

Issue Date: 21-Feb-2005
Revision Date: 04-Sep-2014
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet